

Application No. 10/674,003
Preliminary Amendment "A" dated November 14, 2005
Preliminary Amendment

AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-9. (Cancelled).

Claim 10. (New) A communication system comprising a first communication apparatus and a second communication apparatus, wherein

the first communication apparatus comprises:

reception means for receiving transmission power control information from the second communication apparatus;

first control means for carrying out transmission power control in accordance with a control pattern before the first communication apparatus becomes able to receive the transmission power control information; and

second control means for carrying out transmission power control in accordance with the transmission power control information after the first communication apparatus becomes able to receive the transmission power control information, and

the second communication apparatus comprises:

transmission means for transmitting the transmission power control information to the first communication apparatus.

Claim 11. (New) A communication apparatus comprising:

reception means for receiving transmission power control information;

first control means for carrying out transmission power control in accordance with a control pattern before the communication apparatus becomes able to receive the transmission power control information; and

second control means for carrying out transmission power control in accordance with the transmission power control information after the communication apparatus becomes able to receive the transmission power control information.

Application No. 10/674,003
Preliminary Amendment "A" dated November 14, 2005
Preliminary Amendment

Claim 12. (New) The communication apparatus as claimed in claim 11, wherein the control pattern is a pattern for increasing transmission power step by step.

Claim 13. (New) The communication apparatus as claimed in claim 12, wherein the control pattern is a pattern for increasing the transmission power to a predetermined value, and subsequently, less rapidly increasing the transmission power.

Claim 14. (New) A communication system comprising a first communication apparatus and a second communication apparatus, wherein

the first communication apparatus comprises:

first transmission means for transmitting transmission power control information to the second communication apparatus; and

second transmission means for transmitting information regarding an initial value of transmission power to the second communication apparatus, and

the second communication apparatus comprises:

first reception means for receiving the transmission power control information from the first communication apparatus;

control means for carrying out transmission power control in accordance with the transmission power control information after the second communication apparatus becomes able to receive the transmission power control information; and

second reception means for receiving the information regarding the initial value of the transmission power from the first communication apparatus, and

the control means sets an initial value of transmission power in accordance with the information regarding the initial value of the transmission power and carries out the transmission power control.

Claim 15. (New) The communication system as claimed in claim 14, wherein the first transmission means transmits a predetermined pattern as the transmission power control information before the first communication apparatus becomes able to synchronize with a signal from the second communication apparatus.

Application No. 10/674,003
Preliminary Amendment "A" dated November 14, 2005
Preliminary Amendment

Claim 16. (New) A communication apparatus comprising:
first reception means for receiving transmission power control information;
control means for carrying out transmission power control in accordance with the transmission power control information after the communication apparatus becomes able to receive the transmission power control information; and
second reception means for receiving information regarding an initial value of transmission power,
wherein the control means sets an initial value of transmission power in accordance with the information regarding the initial value of the transmission power and carries out the transmission power control.

Claim 17. (New) A communication apparatus comprising:
first transmission means for transmitting transmission power control information to another communication apparatus; and
second transmission means for transmitting information regarding an initial value of transmission power to said another communication apparatus,
wherein the first transmission means transmits a predetermined pattern as the transmission power control information before said communication apparatus becomes able to synchronize with a signal from said another communication apparatus.

Claim 18. (New) The communication apparatus as claimed in claim 17, further comprising means for varying the predetermined pattern.

Claim 19. (New) A communication method at a communication system comprising a first communication apparatus and a second communication apparatus, comprising:
a transmission step of transmitting, at the second communication apparatus, transmission power control information to the first communication apparatus;
a first control step of carrying out, at the first communication apparatus, transmission power control in accordance with a control pattern before the first communication apparatus becomes able to receive the transmission power control information;

Application No. 10/674,003
Preliminary Amendment "A" dated November 14, 2005
Preliminary Amendment

a reception step of receiving, at the first communication apparatus, the transmission power control information from the second communication apparatus; and

a second control step of carrying out, at the first communication apparatus, transmission power control in accordance with the transmission power control information after the first communication apparatus becomes able to receive the transmission power control information.

Claim 20. (New) A communication method at a communication apparatus, comprising:

a reception step of receiving transmission power control information;

a first control step of carrying out transmission power control in accordance with a control pattern before the communication apparatus becomes able to receive the transmission power control information; and

a second control step of carrying out transmission power control in accordance with the transmission power control information after the communication apparatus becomes able to receive the transmission power control information.

Claim 21. (New) A communication method at a communication system comprising a first communication apparatus and a second communication apparatus, comprising:

a first transmission step of transmitting, at the first communication apparatus, transmission power control information to the second communication apparatus;

a second transmission step of transmitting, at the first communication apparatus, information regarding an initial value of transmission power to the second communication apparatus;

a first reception step of receiving, at the second communication apparatus, the transmission power control information from the first communication apparatus;

a second reception step of receiving, at the second communication apparatus, the information regarding the initial value of the transmission power from the first communication apparatus; and

a control step of carrying out, at the second communication apparatus, transmission power control in accordance with the transmission power control information after

Application No. 10/674,003
Preliminary Amendment "A" dated November 14, 2005
Preliminary Amendment

the second communication apparatus becomes able to receive the transmission power control information,

wherein the control step sets an initial value of transmission power in accordance with the information regarding the initial value of the transmission power and carries out the transmission power control.

Claim 22. (New) The communication method as claimed in claim 21, wherein the first transmission step transmits a predetermined pattern as the transmission power control information before the first communication apparatus becomes able to synchronize with a signal from the second communication apparatus.

Claim 23. (New) A communication method at a communication apparatus, comprising:

a first reception step of receiving transmission power control information;

a control step of carrying out transmission power control in accordance with the transmission power control information after the communication apparatus becomes able to receive the transmission power control information; and

a second reception step of receiving information regarding an initial value of transmission power,

wherein the control step sets an initial value of transmission power in accordance with the information regarding the initial value of the transmission power and carries out the transmission power control.

Claim 24. (New) A communication method at a first communication apparatus, comprising:

a first transmission step of transmitting transmission power control information to a second communication apparatus; and

a second transmission step of transmitting information regarding an initial value of transmission power to the second communication apparatus,

Application No. 10/674,003
Preliminary Amendment "A" dated November 14, 2005
Preliminary Amendment

wherein the first transmission step transmits a predetermined pattern as the transmission power control information before the first communication apparatus becomes able to synchronize with a signal from the second communication apparatus.